

## Glass Bead Sterilizer

#Cat: NB-12-0033A	Size: 1pcs
#Cat: NB-12-0033B	Size: 1pcs
#Cat: NB-12-0033-01	Size: 150g
#Cat: NB-12-0033-02	Size: 300g

### Product Introduction

Glass bead sterilizers are a quick, easy and accurate alternative to traditional methods of sterilization. Once switched 'ON', the units are ready to use within 25 min and ensure total sterilization by destruction of all micro-organisms within 10 seconds. It can effectively disinfect and sterilize small solid metal and glass utensils, and effectively eliminate bacteria and spores. It can be used for surgical forceps, scissors, forceps, scalpels, needles, inoculation loops and inoculation needles, etc.



**NB-12-0033A**



**NB-12-0033B**

### Features :

- Glass bead sterilizers are a quick, easy and accurate alternative to traditional methods of sterilization.
- Once switched 'ON', the units are ready to use within 25 minutes and ensure total sterilization by destruction of all micro-organisms within 10 seconds
- Glass bead sterilizers are incorporated with an imported thermostat, which heats the highest temperature with 300 °C in 25 min, these units having a stainless steel body, are compact enough to be placed on any Laminar air flow work benches or any other worksite tables in a clean room atmosphere.
- Stainless steel container with high performance heating element, high precision temperature controller and over temperature protection
- LED display real-time temperature, the temperature can be set (rotate the knob to set the temperature)
- The indicator light flashes to indicate that the instrument is running to the set temperature, the indicator light is on to indicate a constant temperature, and the indicator light is off to stop the operation
- Small size, light weight, easy operation and long service life

## Specification :

Model	N5000A	N5000B
Crucible size	Φ40×80 mm	Φ40×140 mm
Weight of Glass bead	150g	300g
Temperature range	100 °C~300 °C	100 °C~300 °C
Temp. control Accuracy	≤±5°C	≤±5°C
Heating time (40 °C~300 °C)	≤25min	≤25min
Power	120W	250W
Weight	2 kg	2.5 kg
Dimension (D×W×H) mm	130×145×155 mm	130×145×215 mm

## Ordering Information :

Code	Description
NB-12-0033A	N5000A, AC 200-AC 240 V / AC 100-AC 120 V, 50 / 60 Hz
NB-12-0033B	N5000B, AC 200-AC 240 V / AC 100-AC 120 V, 50 / 60 Hz
NB-12-0033-01	150 g glass beads ( Φ 3 mm)
NB-12-0033-02	300 g glass beads ( Φ 3 mm)