

## NeoStir HP Hot plate stirrer

#Cat: NB-12-4032 Size: 1unit



Having spent a lot of time in the development phase before it became available for purchase, NeoStir HP hot plate stirrer has been extensively tested to ensure efficient performance and extremely user-friendly interface.

With class-leading features that are designed to deal with demanding laboratory conditions & real-life situations, NeoStir HP hot plate stirrer is the answer to all of your hot plate stirring needs with a capacity up to 10 liters.

## Product Features

More Than Just Another Machine



Variable Temperature Setting  
from Ambient To 320° C



Temp. Accuracy  
Of +/- 1°C



Safe Temperature  
Setting Up To 345° C



10 L Of Volume



Variable Speed  
From 200-2200 RPM

Variable timer setting from  
1 to 999 min an infinite mode



Powerful DC Motor for  
Enhanced Performance



Microprocessor  
Controlled



Large & Clear Display



Power Intermittent  
Mode-auto Restart After  
Power Resumes for The  
Left Operational Time



## Convenience At Your Fingertips

Get more Done with less




Separate Display  
for RPM / Time & Temp



Option Of Selecting  
Either °C Or °F As  
Temperature Units



Keypad Locking



PT-1000  
Temperature Probe



Small Footprint



IP 21 class  
Protected

## Specifications

Specifications	NeoStir HP Hot plate stirrer
Capacity	10 Litres
Set up plate material*	Ceramic Coated SS
Heater Temperature	Ambient to 320 °C
Variable Speed	200-2200 RPM in steps of 10 RPM
Run Time	1-999 mins & infinite
Set-up plate dimensions (mm)	140 mm
Weight of instrument	2.2 kg
Dimension (mm)	156 x 248 x 104
Protection Class	IP 21

## Ordering Information

NeoStir HP hot plate stirrer		
Product Name	Cat #	Details
NeoStir HP hot plate stirrer (220 V)	NB-12-4032 EU/AU/UK	Hot Plate Magnetic Stirrer Max Temp 320 °C with ceramic coated SS top